METLAM AUSTRALIA

It's time to discover the difference.

Metlam Australia's
Hand Dryer Range.





It’s time to discover the difference

Metlam Australia Pty Ltd PH:1300 METLAM E:sales@metlam.com.au www.metlam.com.au

Over 25 Years of Trusted Washroom Solutions

For over 25 years, Metlam Australia has been proudly Australian-owned and managed, supplying quality commercial washroom solutions across Australia. We specialise in Commercial Washroom Accessories and Toilet Partition Hardware for the commercial, residential, hospitality, healthcare, education, aged care, security, and public facilities sectors.

Our Hand Dryers

Metlam Australia's hand dryer range offers fast, efficient, reliable, and cost-effective solutions for every project. Featuring innovative Australian design, the range includes everything from slimline contemporary models to ultra-efficient automatic high-velocity hand dryers.

Designed to deliver performance, hygiene, and value, Metlam Australia hand dryers are suited to a wide variety of commercial washroom environments. Whatever your project requirements, you can rely on Metlam Australia to provide a quality hand drying solution backed by over two decades of industry experience.


METLAM AUSTRALIA

Our products are suitable for

- Commercial/Industrial Facilities
- Health and Aged Care
- Hospitality and Leisure Facilities
- Residential Facilities
- Educational Facilities
- Accessible Compliant
- Public Facilities

ML_3000_BLK

Automatic Operation ABS Hand Dryer





840W AUTO HAND DRYER
12 seconds or less drying time

SECURITY
Theft-Resistant Case (2x Star Screws)

ABS CASE
Durable, Chemical Stability

LOW NOISE
63-70.2db (±1.4) @1m

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

THERMAL PROTECTION
Auto-Resetting Thermostat

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- ABS (Designer Black)
- Surface Mount Concealed Fix
- 2kg net weight

MOTOR
- Brushed 420W
- 21,000 - 35,000 RPM
- 50 Seconds auto shut off

ELECTRICAL
- 840W, 3.7A
- 220-240 V AC, 50/60Hz
- 2.8Wh Energy Per Dry
- ≤ 1W Standby Power
- 240-920W Rated Power


IP RATING
IP23

OUTPUT
- 216-345Km/h Air Speed
- 23l/s Operating Airflow
- 63-70.2dB(±1.4) @ 1m

WARRANTY
- 5 (Five) years for Parts only and
- 3 (Three) years for Replacement or Repair

SPARE PART
- Replacement Printed Circuit Board = ML_3000_PCB
- Replacement Sensor Module = ML_3000_SENSOR
- Replacement Motor = ML_3000_MOTOR

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_3000_WHT

Automatic Operation ABS Hand Dryer





840W AUTO HAND DRYER
12 seconds or less drying time

CASE SECURITY
Theft-Resistant Case (2x Star Screws)

ABS CASE
Durable, Chemical Stability

LOW NOISE
63-70.2db (±1.4) @1m

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

THERMAL PROTECTION
Auto-Resetting Thermostat

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- ABS (White)
- Surface Mount Concealed Fix
- 2kg net weight

MOTOR
- Brushed 420W
- 21,000 - 35,000 RPM
- 50 Seconds auto shut off

ELECTRICAL
- 840W, 3.7A
- 220-240 V AC, 50/60Hz
- 2.8Wh Energy Per Dry
- ≤ 1W Standby Power
- 240-920W Rated Power


IP RATING
IP23

OUTPUT
- 216-345Km/h Air Speed
- 23l/s Operating Airflow
- 63-70.2dB(±1.4) @ 1m

WARRANTY
- 5 (Five) years for Parts only and
- 3 (Three) years for Replacement or Repair

SPARE PART
- Replacement Printed Circuit Board = ML_3000_PCB
- Replacement Sensor Module = ML_3000_SENSOR
- Replacement Motor = ML_3000_MOTOR

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

METLAM AUSTRALIA

***Accessible compliant when installed in accordance with AS1428.1 guidelines.**

ML_100N_SS

Slimline Automatic Operation Hand Dryer





2200W AUTO HAND DRYER
Less than15 seconds drying time

SECURITY
Theft-Resistant Case (2x security pin hex screws)

304 GRADE STAINLESS STEEL
Satin finish, Corrosion resistant

LOW NOISE
70dB(A) @ 1m

HYGIENIC
Touch-free Automatic

SLIM DESIGN
Space Optimization

THERMAL PROTECTION
Auto-Resetting Thermostat

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 1.2mm #304 Satin Stainless Steel
- 2 SS theft resistant hex drive screws (hex key supplied)
- 4.5kg net weight

MOTOR
- 1/4 HP
- 7500 RPM, Brush Type
- Dual Ball Bearing Motor
- Auto Resetting Thermostat turns off at 105°C

ELECTRICAL
- 230-240 Vac, 50/60Hz
- 2200-2400W
- 2200W @240VAC


IP RATING
IP23

HEATER
- 87°C auto resetting thermostat
- 141°C auto reset safety cut off

OUTPUT
- 314.5 m^3/h (185 CFM), Temp: Ambient +20°C
- 60 sec power cut off, auto reset
- 2 sec delay turn off after last read
- Adjustable sensor, standard 18cm ±2cm

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CE bsi ISO 14001 Environmental Management UKCA


METLAM AUSTRALIA

***Accessible compliant when installed in accordance with AS1428.1 guidelines.**

ML_ECLIPSE_DESIGNER

Slimline Automatic Operation Hand Dryer





1000W AUTO HAND DRYER
Less than15 seconds drying time

POWDER COAT STEEL
Designer Matte Black, Corrosion resistant

LOW NOISE
68.6-72.3dB (A)

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

THERMAL PROTECTION
Auto-Resetting Thermostat

POWERFUL
High-Flow Dual Air Outlets

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 1.2mm Designer Matte Black Powder Coat Steel
- 2 SS theft resistant hex drive screws (hex key supplied)
- 4.2kg net weight

MOTOR
- 250-500W Brush Type: Dual Ball Bearing
- 16.000-29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 220-240V AC, 50/60Hz
- 1000W
- 325 - 500W Adjustable element


IP RATING
IP 24

HEATER
- 85°C auto resetting thermostat
- 141°C auto reset safety cut off

OUTPUT
- Speed: 95-115m/s (adjustable), Temp: Ambient +30°
- 60 sec power cut off, auto reset
- Infrared Automatic - 152mm +/-20mm preset, Blue LED indicates operation/range

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CBC CE UL CERTIFIED RoHS bsi. ISO 14001 Environmental Management UK CA

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECLIPSE05_SS

Slimline Automatic Operation Hand Dryer





1000W AUTO HAND DRYER
Less than15 seconds drying time

304 GRADE STAINLESS STEEL
Satin finish, Corrosion resistant

LOW NOISE
68.6-72.3dB (A)

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

THERMAL PROTECTION
Auto-Resetting Thermostat

POWERFUL
High-Flow Dual Air Outlets

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 1.2mm #304 Satin Stainless Steel
- 2 SS theft resistant hex drive screws (hex key supplied)
- 4.2kg net weight

MOTOR
- 250-500W Brush Type: Dual Ball Bearing
- 16.000-29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 220-240V AC, 50/60Hz
- 1000W
- 325 - 500W Adjustable element


IP RATING
IP 24

HEATER
- 85°C auto resetting thermostat
- 141°C auto reset safety cut off

OUTPUT
- Speed: 95-115m/s (adjustable), Temp: Ambient +30°
- 60 sec power cut off, auto reset
- Infrared Automatic - 152mm +/-20mm preset, Blue LED indicates operation/range

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CBC CE UL CERTIFIED RoHS bsi. ISO 14001 Environmental Management UK CA

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECLIPSE01_WHT

Slimline Automatic Operation Hand Dryer





1000W AUTO HAND DRYER
Less than15 seconds drying time

304 GRADE STAINLESS STEEL
White Powder Coat, Corrosion resistant

LOW NOISE
68.6-72.3dB (A)

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

THERMAL PROTECTION
Auto-Resetting Thermostat

POWERFUL
High-Flow Dual Air Outlets

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 1.2mm #304 White Powder Coat Steel
- 2 SS theft resistant hex drive screws (hex key supplied)
- 4.2kg net weight

MOTOR
- 250-500W Brush Type: Dual Ball Bearing
- 16.000-29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 220-240V AC, 50/60Hz
- 1000W
- 325 - 500W Adjustable element


IP RATING
IP 24

HEATER
- 85°C auto resetting thermostat
- 141°C auto reset safety cut off

OUTPUT
- Speed: 95-115m/s (adjustable), Temp: Ambient +30°
- 60 sec power cut off, auto reset
- Infrared Automatic - 152mm +/-20mm preset, Blue LED indicates operation/range

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CBC CE UL CERTIFIED RoHS bsi. ISO 14001 Environmental Management UK CA

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECOSLENDER_DESIGNER

Slimline Eco Automatic Operation Hand Dryer





1000W AUTO HAND DRYER
Less than15 seconds drying time

POWDER COAT STEEL
Designer Matte Black, corrosion resistant

QUIET OPERATION
Adjustable Sound Level

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

POWERFUL
High-Flow Dual Air Outlets

SLEEK DESIGN
Contemporary Curved Profile

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 1.2mm Designer Matte Black Powder Coat Steel
- 2 SS theft resistant hex drive screws (hex key supplied)
- 3.8kg net weight
- Max 4" from the wall
- Fewer Materials save resource

MOTOR
- 250-500W Brush Type: Dual Ball Bearing
- 16.000-29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 240V, 50Hz, 1000W
- 0.3-0.4W Standby Power
- 325 - 500W Adjustable element


IP RATING
IP 24

HEATER
- ON/OFF heating Options, 85°C auto resetting thermostat
- 142°C auto reset safety cut off

OUTPUT
- Air Speed: 70-82m/s (adjustable), Temp: Ambient +25°C
- 60 sec power cut off, auto reset
- Sensor: Infrared Automatic, Self Adjusting, 170mm+/-20mm, Blue LED indicates operation/range

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CBC CE UL RoHS ISO 14001 UKCA

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECOSLENDER05_SS

Slimline Eco Automatic Operation Hand Dryer





1000W AUTO HAND DRYER
Less than15 seconds drying time

304 GRADE STAINLESS STEEL
Satin finish, Corrosion resistant

QUIET OPERATION
Adjustable Sound Level

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

POWERFUL
High-Flow Dual Air Outlets

SLEEK DESIGN
Contemporary Curved Profile

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 1.2mm #304 Satin Stainless Steel
- 2 SS theft resistant hex drive screws (hex key supplied)
- 3.8kg net weight
- Max 4" from the wall
- Fewer Materials save resource

MOTOR
- 250-500W Brush Type: Dual Ball Bearing
- 16.000-29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 240V, 50Hz, 1000W
- 0.3-0.4W Standby Power
- 325 - 500W Adjustable element


IP RATING
IP 24

HEATER
- ON/OFF heating Options, 85°C auto resetting thermostat
- 142°C auto reset safety cut off

OUTPUT
- Air Speed: 70-82m/s (adjustable), Temp: Ambient +25°C
- 60 sec power cut off, auto reset
- Sensor: Infrared Automatic, Self Adjusting, 170mm+/-20mm, Blue LED indicates operation/range

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CBC CE UL RoHS bsi. ISO 14001 UKCA

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECOSLENDER01_WHT

Slimline Eco Automatic Operation Hand Dryer





1000W AUTO HAND DRYER
Less than15 seconds drying time

304 GRADE STAINLESS STEEL
White Powder Coat, Corrosion resistant

QUIET OPERATION
Adjustable Sound Level

HYGIENIC
Touch-free Automatic

ENERGY EFFICIENT
Low Power Consumption

POWERFUL
High-Flow Dual Air Outlets

SLEEK DESIGN
Contemporary Curved Profile

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 1.2mm #304 White Powder Coat Steel
- 2 SS theft resistant hex drive screws (hex key supplied)
- 3.8kg net weight
- Max 4" from the wall
- Fewer Materials save resource

MOTOR
- 250-500W Brush Type: Dual Ball Bearing
- 16.000-29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 240V, 50Hz, 1000W
- 0.3-0.4W Standby Power
- 325 - 500W Adjustable element


IP RATING
IP 24

HEATER
- ON/OFF heating Options, 85°C auto resetting thermostat
- 142°C auto reset safety cut off

OUTPUT
- Air Speed: 70-82m/s (adjustable), Temp: Ambient +25°C
- 60 sec power cut off, auto reset
- Sensor: Infrared Automatic, Self Adjusting, 170mm+/-20mm, Blue LED indicates operation/range

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CBC CE UL RoHS ISO 14001 UKCA

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_1800_WHT

Automatic Operation ABS Hand Dryer





1800W AUTO HAND DRYER
30-35 seconds drying time

CASE SECURITY
Theft-Resistant Case (2x Security pin hex Screws)

ABS CASE
Durable, Chemical Stability

LOW NOISE
64dB(A) @1m

HYGIENIC
Touch-free Automatic

SLEEK DESIGN
Contemporary Curved Profile

THERMAL PROTECTION
Auto-Resetting Thermostat

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- 3.0 White High-Grade_Fire_Retardant ABS
- Surface Mount Concealed Fix
- 3.5kg net weight

MOTOR
- Brushless 80W
- 2850 RPM
- 105° auto reset overload

ELECTRICAL
- 1800W, 7.5A
- 240 V, 50Hz

IP RATING
IP21


HEATER
- 87°C auto resetting thermostat
- 142°C auto reset safety cut off

OUTPUT
- 20.5m/s Air Speed
- Ambient +20° Temperature
- 60 seconds power cut off auto reset
- 2 seconds delay turn off after last read

SENSOR RANGE
- Auto Infrared - 180mm +/-20mm preset, 100 - 300mm adjust

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS


CBC CE UL CERTIFIED RoHS bsi. ISO 14001 Environmental Management UK CA

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECLIPSE_3N1REC_D

Recessed Paper Towel Dispenser, Hand Dryer & Waste Receptacle





1000W AUTO HAND DRYER
Less than15 seconds drying time

304 GRADE STAINLESS STEEL
Satin finish, Seamless weld, rolled edges

HYGIENIC & EASY TO MAINTAIN

LOCK & KEY SECURITY

SUSTAINABLE & RELIABLE

EFFICIENT
All-in-one Design

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- #304 Satin Stainless Steel
- 1500mmH x 318mmW x 190mmD Overall Size
- 1472mmH x 290mmW x 192mmD Wall Opening
- Unit is to be hard wired by licensed electrician, Unit is supplied with 2 keys

MOTOR
- 250-500W Brush Type, Dual Ball Bearing
- 29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 240V, 50Hz, 1000W
- Hard wired - 4 electrical cable entry points available

IP RATING
IP 24

HEATER
- 85°C auto reset safety cut off


OUTPUT
- Speed: 92m/s, Temp: Ambient +25°C
- 60 sec power cut off, auto reset

DISPENSER / OPTION
- 300 Interfold paper towels, 500 Interleaved paper towels

DISPOSAL
- 21L Removable Stainless Steel waste container

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities


CERTIFICATIONS

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECLIPSE_3N1SM_D

Surface Mounted Paper Towel Dispenser, Hand Dryer & Waste Receptacle





1000W AUTO HAND DRYER
Less than15 seconds drying time

304 GRADE STAINLESS STEEL
Satin finish, Seamless weld, rolled edges

HYGIENIC & EASY TO MAINTAIN

LOCK & KEY SECURITY

SUSTAINABLE & RELIABLE

EFFICIENT
All-in-one Design

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- #304 Satin Stainless Steel
- 1500mmH x 318mmW x 190mmD Overall Size
- Unit is to be hard wired by licensed electrician, Unit is supplied with 2 keys

MOTOR
- 250-500W Brush Type, Dual Ball Bearing
- 29.000 RPM
- 95°C Auto reset Overload

ELECTRICAL
- 240V, 50Hz, 1000W
- Hard wired - 4 electrical cable entry points available

IP RATING
IP 24

HEATER
- 85°C auto reset safety cut off


OUTPUT
- Speed: 92m/s, Temp: Ambient +25°C
- 60 sec power cut off, auto reset

DISPENSER / OPTION
- 300 Interfold paper towels, 500 Interleaved paper towels

DISPOSAL
- 21L Removable Stainless Steel waste container

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities


CERTIFICATIONS

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECO_73N1SM

Recessed Paper Towel Dispenser, Hand Dryer & Waste Receptacle





1000W AUTO HAND DRYER
EcoFast Auto Dryer, Less than 15 seconds

304 GRADE STAINLESS STEEL
Satin finish, Seamless weld, rolled edges

HYGIENIC & EASY TO MAINTAIN

LOCK & KEY SECURITY

SUSTAINABLE & RELIABLE

EFFICIENT
All-in-one Design

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- #304 Satin Stainless Steel
- 1625mmH x 318mmW x 141.5mmD Overall Size
- Unit is to be hard wired by licensed electrician, Unit is supplied with 2 keys

MOTOR
- 250-500W Brush Type, Dual Ball Bearing
- 29.000 RPM
- 95°C auto resetting safety overload thermostat

ELECTRICAL
- 240V, 50Hz, 1000W, 4.17A
- Hard wired - 4 electrical cable entry points available

IP RATING
IP11

HEATER
- 85°C auto reset safety cut off


OUTPUT
- Speed: 90m/s, Temp: Ambient +30°C
- 60 sec power cut off, auto reset
- Sensor: Infrared Automatic, Self Adjusting, 170mm+/-20mm, Blue LED indicates operation/range

DISPENSER / OPTION
- 300 Interfold paper towels, 500 Interleaved paper towels

DISPOSAL
- 20L Removable Stainless Steel waste container

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities


CERTIFICATIONS

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_ECO_73N1REC

Recessed Paper Towel Dispenser, Hand Dryer & Waste Receptacle





1000W AUTO HAND DRYER
EcoFast Auto Dryer, Less than 15 seconds

304 GRADE STAINLESS STEEL
Satin finish, Seamless weld, rolled edges

HYGIENIC & EASY TO MAINTAIN

LOCK & KEY SECURITY

SUSTAINABLE & RELIABLE

EFFICIENT
All-in-one Design

TECHNICAL SPECIFICATIONS

CONSTRUCTION
- #304 Satin Stainless Steel
- 1625mmH x 318mmW x 141.5mmD Overall Size
- 1600mmH x 290mmW x 145mmD Wall Opening
- Unit is to be hard wired by licensed electrician, Unit is supplied with 2 keys

MOTOR
- 250-500W Brush Type, Dual Ball Bearing
- 29.000 RPM
- 95°C auto resetting safety overload thermostat

ELECTRICAL
- 240V, 50Hz, 1000W, 4.17A
- Hard wired - 4 electrical cable entry points available

IP RATING
IP11

HEATER
- 85°C auto reset safety cut off


OUTPUT
- Speed: 90m/s, Temp: Ambient +30°C
- 60 sec power cut off, auto reset
- Sensor: Infrared Automatic, Self Adjusting, 170mm+/-20mm, Blue LED indicates operation/range

DISPENSER / OPTION
- 300 Interfold paper towels, 500 Interleaved paper towels

DISPOSAL
- 20L Removable Stainless Steel waste container

WARRANTY
Warranty for the Term of FIVE (5) Years - Incorporating THREE (3) years for Replacement or Repair and TWO (2) further years for Parts only.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres | Airports | Universities | Hospitals | Commercial Offices | Public Amenities

CERTIFICATIONS

CE | bsi ISO 14001 Environmental Management | UK CA


METLAM AUSTRALIA


*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_IMC3_LUX

Integrated Mirror Cabinet

Premium all-in-one Washroom solution





1000W AUTO HAND DRYER
15 seconds drying time

1000ML AUTO SOAP DISPENSER
Hygienic touch-free operation

INTEGRATED PAPER TOWEL DISPENSER
Convenient and efficient

5mm THICK FRAMELESS GLASS
Premium look and durability

LED BACKLIGHTING
Enhances visibility and style

LOCK & KEY SECURITY
Tumbler lock for security

TWIN-DAMPED GAS SPRING OPENING
Smooth and durable

304 GRADE STAINLESS STEEL
Satin finish, Corrosion resistant

TECHNICAL SPECIFICATIONS

CONSTRUCTION
1.2mm #304 Satin Stainless Steel
5mm Frameless glass

HAND DRYER
- 1000W, 220V-250V
- Automatic Sensor Hand Dryer
- 15 Seconds Drying Time
- Intergated Power Board


SOAP DISPENSER
- 1000ml Capacity
- Automatic Sensor Dispensing

ELECTRICAL
- 220V-250V
- 10 Amp.
- Adaptor Included

INSTALLATION
- Wall Mounted
- Mirror supported by Twin-Damped Gas Spring

WARRANTY
2 Years Warranty.
Hand Dryer comes with Full Replacement Warranty.

TECHNICAL DIMENSIONS



IDEAL FOR

Shopping Centres
Airports
Universities
Hospitals
Commercial Offices
Public Amenities

CERTIFICATIONS

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.

ML_IMC2_LUX

Integrated Mirror Cabinet

Premium all-in-one Washroom solution





1000W AUTO HAND DRYER
15 seconds drying time

1000ML AUTO SOAP DISPENSER
Hygienic touch-free operation

5mm THICK FRAMELESS GLASS
Premium look and durability

LED BACKLIGHTING
Enhances visibility and style

LOCK & KEY SECURITY
Tumbler lock for security

TWIN-DAMPED GAS SPRING OPENING
Smooth and durable

304 GRADE STAINLESS STEEL
Satin finish, Corrosion resistant

TECHNICAL SPECIFICATIONS

CONSTRUCTION
1.2mm #304 Satin Stainless Steel
5mm Frameless glass

HAND DRYER
- 1000W, 220V-250V
- Automatic Sensor Hand Dryer
- 15 Seconds Drying Time
- Intergated Power Board


SOAP DISPENSER
- 1000ml Capacity
- Automatic Sensor Dispensing

ELECTRICAL
- 220V-250V
- 10 Amp.
- Adaptor Included

INSTALLATION
- Wall Mounted
- Mirror supported by Twin-Damped Gas Spring

WARRANTY
2 Years Warranty.
Hand Dryer comes with Full Replacement Warranty.

TECHNICAL DIMENSIONS




IDEAL FOR

Shopping Centres
Airports
Universities
Hospitals
Commercial Offices
Public Amenities

CERTIFICATIONS

METLAM AUSTRALIA

*Accessible compliant when installed in accordance with AS1428.1 guidelines.




Ashmore Shopping Centre
QLD



Optus Stadium
WA




Maryborough Highlands Society
VIC



Mythos Psarki Bar
VIC

DESIGNED TO BE SPECIFIED

Metlam Australia hand dryers have been selected for a diverse range of architectural projects from landmark venues and hospitality spaces to cultural, commercial and community facilities.



Waikerie Recreation Centre
SA



146 Marsden Street, Parramatta
NSW



Hotel Esplanade
VIC



METLAM AUSTRALIA

For Further information on Metlam Australia's product range please contact us at:

HEAD OFFICE
17 Parkers Road New Gisborne, Vic 3438
Tel: 1300 METLAM (1300 638 526)
Email: sales@metlam.com.au

NSW (Incorporating ACT)
Sydney Branch
Unit 23, 66 Turner Road Smeaton Grange, NSW 2567
Tel: 02 8778 8801
Email: nswsales@metlam.com.au
Email: actsales@metlam.com.au

QUEENSLAND
Brisbane Branch
Shop 2, 57-59 Rosemount Terrace Windsor QLD, 4030
Tel: 07 3247 0200
Email: qldsales@metlam.com.au

VICTORIA (Incorporating TAS)
Melbourne Branch
22 Gallivan Road New Gisborne, Vic 3438
Tel: 03 5420 8800
Email: vicsales@metlam.com.au
Email: tassales@metlam.com.au

WESTERN AUSTRALIA
Perth Branch
Unit 1, 5 Bramall Street East Perth, WA 6004
Tel: 08 6250 2601
Email: wasales@metlam.com.au

SOUTH AUSTRALIA & NORTHERN TERRITORY
Adelaide, South Australia
Tel: 0407 553 045
Email: sasales@metlam.com.au
Email: ntsales@metlam.com.au

NEW ZEALAND
Head Office
17 Parkers Road New Gisborne, Vic 3438
Tel: 0407 863 730
Email: sales@metlam.com.au

INTERNATIONAL SALES
Head Office
17 Parkers Road New Gisborne, Vic 3438
Tel: 1300 METLAM (1300 638 526)
Email: sales@metlam.com.au

The technical recommendations contained in this document are necessarily of a general nature and should not be relied on for specific applications without first securing competent advice. Whilst Metlam Australia Pty Ltd has taken all reasonable steps to ensure the information contained herein is accurate and current, it does not warrant the accuracy or completeness of the information and does not accept liability for errors or omissions. Any commercial product should only be installed by a competent tradesperson and serviced/maintained by knowledgeable janitorial staff or competent people. Metlam Australia accepts no responsibility for any damage to product, walls or fixtures due to incorrect installation or maintenance of any of their products